


**IEEE Xplore®**
RELEASE 3.8**IEEE Xplore®**
1 Million Documents
1 Million Users

Welcome

United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)[Quick Links](#)[Welcome to IEEE Xplore®](#)☐ Home☐ What Can I Access?☐ Log-out**Tables of Contents**☐ Journals & Magazines☐ Conference Proceedings☐ Standards**Search**☐ By Author☐ Basic☐ Advanced☐ CrossRef**Member Services**☐ Join IEEE☐ Establish IEEE Web Account☐ Access the IEEE Member Digital Library**IEEE Full-Text**☐ Access the IEEE Extension File Cabinet

Print Format

» Search Results

Your search matched **45** of **1138071** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Robust bit extraction from images***Fridrich, J.;*Multimedia Computing and Systems, 1999. IEEE International Conference on , Volume: 2 , 7-11 June 1999
Pages: 536 - 540 vol.2[\[Abstract\]](#) [\[PDF Full-Text \(468 KB\)\]](#) **IEEE CNF****2 Hiding digital watermarks using multiresolution wavelet transform***Ming-Shing Hsieh; Din-Chang Tseng; Yong-Huai Huang;*Industrial Electronics, IEEE Transactions on , Volume: 48 , Issue: 5 , Oct. 2001
Pages: 875 - 882[\[Abstract\]](#) [\[PDF Full-Text \(184 KB\)\]](#) **IEEE JNL****3 On random coding error exponents of watermarking systems***Merhav, N.;*

Information Theory, IEEE Transactions on , Volume: 46 , Issue: 2 , March 2000

Pages:420 - 430

[Abstract] [[PDF Full-Text \(348 KB\)](#)] **IEEE JNL**

4 **Protecting publicly-available images with an invisible image watermark**

Braudaway, G.W.;

Image Processing, 1997. Proceedings., International Conference on , Volume:

1 , 26-29 Oct. 1997

Pages:524 - 527 vol.1

[Abstract] [[PDF Full-Text \(364 KB\)](#)] **IEEE CNF**

5 **A new video-object watermarking scheme robust to object manipulation**

Bas, P.; Macq, B.;

Image Processing, 2001. Proceedings. 2001 International Conference on , Volume: 3 , 7-10 Oct. 2001

Pages:526 - 529 vol.2

[Abstract] [[PDF Full-Text \(328 KB\)](#)] **IEEE CNF**

6 **Efficient decoding of watermarking schemes in the presence of false alarms**

Mansour, M.F.; Tewfik, A.H.;

Multimedia Signal Processing, 2001 IEEE Fourth Workshop on , 3-5 Oct. 2001

Pages:523 - 528

[Abstract] [[PDF Full-Text \(472 KB\)](#)] **IEEE CNF**

7 **Image watermarking with zero-mean patches**

Ratnakar, V.;

Signals, Systems, and Computers, 1999. Conference Record of the Thirty-Third

Asilomar Conference on , Volume: 2 , 24-27 Oct. 1999

Pages:1513 - 1517 vol.2

[Abstract] [[PDF Full-Text \(560 KB\)](#)] **IEEE CNF**

8 **Power constrained multiple signaling in digital image watermarking**

Huang, J.; Elmasry, G.F.; Shi, Y.Q.;

Multimedia Signal Processing, 1998 IEEE Second Workshop on , 7-9 Dec. 1998

Pages:388 - 393

[Abstract] [[PDF Full-Text \(280 KB\)](#)] **IEEE CNF**

9 **Secret and public key image watermarking schemes for image authentication and ownership verification**

Ping Wah Wong; Memon, N.;

Image Processing, IEEE Transactions on , Volume: 10 , Issue: 10 , Oct. 2001
Pages:1593 - 1601

[Abstract] [PDF Full-Text (280 KB)] IEEE JNL

10 **Digital audio watermarking in the cepstrum domain**

Sang-Kwang Lee; Yo-Sung Ho;

Consumer Electronics, IEEE Transactions on , Volume: 46 , Issue: 3 , Aug. 2000
Pages:744 - 750

[Abstract] [PDF Full-Text (644 KB)] IEEE JNL

11 **A watermarking sequence using parities of error control coding for image authentication and correction**

Jaemin Lee; Chee Sun Won;

Consumer Electronics, IEEE Transactions on , Volume: 46 , Issue: 2 , May 2000
Pages:313 - 317

[Abstract] [PDF Full-Text (320 KB)] IEEE JNL

12 **Multiresolution watermarking for images and video**

Wenwu Zhu; Zixiang Xiong; Ya-Qin Zhang;

Circuits and Systems for Video Technology, IEEE Transactions on , Volume: 9 , Issue: 4 , June 1999
Pages:545 - 550

[Abstract] [PDF Full-Text (564 KB)] IEEE JNL

13 **Secure spread spectrum watermarking for multimedia**

Cox, I.J.; Killian, J.; Leighton, F.T.; Shamoon, T.;

Image Processing, IEEE Transactions on , Volume: 6 , Issue: 12 , Dec. 1997
Pages:1673 - 1687

[Abstract] [PDF Full-Text (356 KB)] IEEE JNL

14 **Method for combating random geometric attack on image watermarking**

Agung, I.W.; Sweeney, P.;

Electronics Letters , Volume: 37 , Issue: 7 , 29 March 2001
Pages:420 - 421

[Abstract] [PDF Full-Text (224 KB)] IEE JNL

15 **Multiresolution video watermarking using perceptual models and scene segmentation**

Swanson, M.D.; Bin Zhu; Chau, B.; Tewfik, A.H.;
Image Processing, 1997. Proceedings., International Conference on , Volume:
2 , 26-29 Oct. 1997
Pages:558 - 561 vol.2

[Abstract] [PDF Full-Text (524 KB)] IEEE CNF

1 2 3 Next



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search:

Search:

+watermark +random size length




Feedback Report a problem Satisfaction survey

Terms used watermark random size length

Found 184 of 151.219


Sort results by

publication date
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228




Display results

expanded form



 Save results to a Binder



 Search Tips

☐ Open results in a new window


Results 101 - 120 of 184

Result page: previous 1 2 3 4 5 **6** 7 8 9 10 next

Relevance scale [

101 Coding and Encryption: An image watermarking technique using pyramid transform

Qiang Cheng, Thomas S. Huang

October 2001 **Proceedings of the ninth ACM international conference on Multimedia**Full text available:  pdf(1.90 MB)

Additional Information: full citation, abstract, references, citings, index terms

An image watermarking technique based on pyramid transforms is proposed. An arbitrary binary pattern is formed into an effective hypothesized pattern and transmitted as a watermark. Multiresolution pyramid transforms are applied to host images, whose characteristics are exploited to embed the watermark. The detector is designed to be effective to a wide range of original signal sources and noise sources. The scheme is designed to achieve efficient trade-offs between perceptual invisibility, robustness, and capacity.

Keywords: pyramid transform, verification coding, watermarking

102 Session 3: discussion: Ontology in information security: a useful theoretical foundation and methodological tool

Victor Raskin, Christian F. Hempelmann, Katrina E. Triezenberg, Sergei Nirenburg

September 2001 **Proceedings of the 2001 workshop on New security paradigms**Full text available: pdf(507.99 KB)


Additional Information: full citation, abstract, references, index terms

The paper introduces and advocates an ontological semantic approach to information security. Both the approach and its resources, the ontology and lexicons, are borrowed from the field of natural language processing and adjusted to the needs of the new domain. The approach pursues the ultimate dual goals of inclusion of natural language data sources as an integral part of the overall data sources in information security applications, and formal specification of the information security community ...

Keywords: documentation, human factors, languages, security, standardization, theory

103 [Session 4: innovative solutions: A trusted process to digitally sign a document](#)

Boris Balacheff, Liqun Chen, David Plaquin, Graeme Proudler


September 2001 **Proceedings of the 2001 workshop on New security paradigms**Full text available:  [pdf\(709.00 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper describes a method of increasing the trust in open computing platforms, such that a person can have confidence in producing a digital signature using open platforms. The process of using a digital signature to sign a digital document is well understood. Most descriptions assume the correctness of the process of signing a document within a computing platform. In an increasing connected world, this assumption is no longer true when open computing platforms are used. This paper proposes t ...

Keywords: TCPA, authenticated image, digital signatures, smart card, trusted display

104 [Computing curricula 2001](#)September 2001 **Journal on Educational Resources in Computing (JERIC)**Full text available:  [pdf\(613.63 KB\)](#)  [html](#)
(2.78 KB)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**105** [Consistent mesh parameterizations](#)


Emil Praun, Wim Sweldens, Peter Schröder

August 2001 **Proceedings of the 28th annual conference on Computer graphics and interactive techniques**Full text available:  [pdf\(2.97 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A basic element of Digital Geometry Processing algorithms is the establishment of a smooth parameterization for a given model. In this paper we propose an algorithm which establishes parameterizations for a set of models. The parameterizations are called consistent because they share the same base domain and respect features. They give immediate correspondences between models and allow remeshes with the same connectivity. Such remeshes form the basis for a large class of algorithms, including ...

106 [Columns: Risks to the public in computers and related systems](#)

Peter G. Neumann

July 2001 **ACM SIGSOFT Software Engineering Notes**, Volume 26 Issue 4Full text available:  [pdf\(1.17 MB\)](#) Additional Information: [full citation](#)**107** [Watermarking graph partitioning solutions](#)

Greg Wolfe, Jennifer L. Wong, Miodrag Potkonjak

June 2001 **Proceedings of the 38th conference on Design automation**

Full text available: [pdf\(86.26 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Trends in the semiconductor industry towards extensive design and code reuse motivate a need for adequate Intellectual Property Protection (IPP) schemes. We offer a new general IPP scheme called constraint-based watermarking and analyze it in the context of the graph partitioning problem. Graph partitioning is a critical optimization problem that has many applications, particularly in the semiconductor design process. Our IPP technique for graph partitioning watermark ...

108 Watermarking of SAT using combinatorial isolation lemmas

Rupak Majumdar, Jennifer L. Wong

June 2001 **Proceedings of the 38th conference on Design automation**

Full text available: [pdf\(92.06 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Watermarking of hardware and software designs is an effective mechanism for intellectual property protection (IPP). Two important criteria for watermarking schemes are credibility and fairness. In this paper, we present the unique solution-based watermarking technique which provides, in a sense, the ultimate answer to both credibility and fairness requirements. Leveraging on a combinatorial theorem of Valiant and Vazirani, we demonstrate how ultimate credibility and complete fairness can a ...

109 Publicly detectable techniques for the protection virtual components

Gang Qu

June 2001 **Proceedings of the 38th conference on Design automation**

Full text available: [pdf\(131.89 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Highlighted with the newly released intellectual property (IP) protection white paper by VSI Alliance, the protection of virtual components (VCs) has received a large amount of attention recently. Digital signature is one of the most promising solutions among the known protection mechanisms. However, the trade-off between hard-to-attack and easy-to-detect and the lack of efficient detection schemes are the major obstacles for digital signatures to thrive. In this paper, we propose a new wat ...

110 PREFER: a system for the efficient execution of multi-parametric ranked queries

Vagelis Hristidis, Nick Koudas, Yannis Papakonstantinou

May 2001 **ACM SIGMOD Record , Proceedings of the 2001 ACM SIGMOD international conference on Management of data**, Volume 30 Issue 2

Full text available: [pdf\(348.61 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Users often need to optimize the selection of objects by appropriately weighting the importance of multiple object attributes. Such optimization problems appear often in operations' research and applied mathematics as well as everyday life; e.g., a buyer may select a home as a weighted function of a number of attributes like its distance from office, its price, its area, etc.

We capture such queries in our definition of preference queries that use a weight function over a relation's a ...

111 [I/O reference behavior of production database workloads and the TPC benchmarks—an analysis at the logical level](#)

Windor W. Hsu, Alan Jay Smith, Honesty C. Young

March 2001 **ACM Transactions on Database Systems (TODS)**, Volume 26 Issue 1

Full text available: [PDF \(5.42 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

As improvements in processor performance continue to far outpace improvements in storage performance, I/O is increasingly the bottleneck in computer systems, especially in large database systems that manage huge amounts of data. The key to achieving good I/O performance is to thoroughly understand its characteristics. In this article we present a comprehensive analysis of the logical I/O reference behavior of the peak production database workloads from ten of the world's largest corporations ...

Keywords: I/O, TPC benchmarks, caching, locality, prefetching, production database workloads, reference behavior, sequentiality, workload characterization

112 [A framework to support teaching in distributed systems](#)

C. Burger, K. Rothermel

March 2001 **Journal on Educational Resources in Computing (JERIC)**

Full text available: [PDF \(407.31 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Computer networks and distribute systems are characterized by highly dynamic, concurrent, and complex processes. Thus, training in this area requires great effort from both teachers and learners. Teachers are dissatisfied with available methods for presentation, explanation, and exercises, and they are looking for better methods to support learners. We have developed and architecture called Highly interactive simulation of algorithms and Protocols (HiSAP), consisting of a framework ...

Keywords: interactive learning, tool kit

113 [Natural language processing for information assurance and security: an overview and implementations](#)

Mikhail J. Atallah, Craig J. McDonough, Victor Raskin, Sergei Nirenburg

February 2001 **Proceedings of the 2000 workshop on New security paradigms**

Full text available: [PDF \(1.29 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

114 [A new paradigm hidden in steganography](#)

Ira S. Moskowitz, Garth E. Longdon, LiWu Chang

February 2001 **Proceedings of the 2000 workshop on New security paradigms**

Full text available: [PDF \(1.05 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: information hiding, steganography

115 [On providing support for protocol adaptation in mobile wireless networks](#)

Pradeep Sudame, B. R. Badrinath

January 2001 **Mobile Networks and Applications**, Volume 6 Issue 1

Full text available: [\[PDF\] \(146.48 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: adaptivity, mobility, protocols, wireless networks

116 [Cumulating and sharing end users knowledge to improve video indexing in a video digital library](#)

Marc Nanard, Jocelyne Nanard

January 2001 **Proceedings of the 1st ACM/IEEE-CS joint conference on Digital libraries**

Full text available: [\[PDF\] \(250.01 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this paper, we focus on a user driven approach to improve video indexing. It consists in cumulating the large amount of small, individual efforts done by the users who access information, and to provide a community management mechanism to let users share the elicited knowledge. This technique is currently being developed in the "OPALES" environment and tuned up at the "Institut National de l'Audiovisuel & d'quo;(INA), a National Video Library in Paris, to increase the v ...

Keywords: knowledge sharing, private workspaces, users communities, video annotation, video indexing

117 [Effective access to large audiovisual assets based on user preferences](#)

S. Ioannou, G. Moschovitis, K. Ntalianis, K. Karpouzis, S. Kollias

November 2000 **Proceedings of the 2000 ACM workshops on Multimedia**

Full text available: [\[PDF\] \(1.01 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


Current multimedia databases contain a wealth of information in the form of audiovisual, as well as text data. Even though efficient search algorithms have been developed for either media, there still exists the need for abstract presentation and summarization of the results of database users' queries. Moreover, multimedia retrieval systems should be capable of providing the user with additional information related to the specific subject of the query, as well as suggest other topics which us ...

Keywords: multimedia databases, query expansion, text-based search, user profiling, web access

118 [Multimedia content protection by cryptography and watermarking in tamper-resistant hardware](#)

Feng Bao

November 2000 **Proceedings of the 2000 ACM workshops on Multimedia**

Full text available:  pdf(386.63 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


With the rapid growth of broadband network, distribution of multimedia via Internet is a must way to go. Content protection has become one of the most significant and challenging problems of this field. In this paper, we propose a general scheme that combines public key cryptography and watermarking technology together, to achieve wonderful content protection. The scheme is reliable, flexible and efficient.

Keywords: multimedia content protection, public key cryptography, tamper-resistant hardware, watermarking technology

119 [Audio watermarking for monitoring and copy protection](#)

Jaap Haitsma, Michiel van der Veen, Ton Kalker, Fons Bruekers

November 2000 **Proceedings of the 2000 ACM workshops on Multimedia**

Full text available:  pdf(313.49 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


Based on existing technology used in image and video watermarking, we have developed a robust audio watermarking technique. The embedding algorithm operates in frequency domain, where the magnitudes of the Fourier coefficients are slightly modified. In the temporal domain, an additional scale parameter and gain function are necessary to refine the watermark and achieve perceptual transparency. Watermark detection relies on the Symmetrical Phase Only Matched Filtering (SPOMF) cross-correlation ...

Keywords: audio, broadcast monitoring, copy protection, watermark detection, watermark embedding

120 [Secure data hiding in wavelet compressed fingerprint images](#)

Nalini K. Ratha, Jonathan H. Connell, Ruud M. Bolle

November 2000 **Proceedings of the 2000 ACM workshops on Multimedia**

Full text available:  pdf(688.05 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

With the rapid growth of the Internet, electronic commerce revenue now amounts to several billion US dollars. To avoid fraud and misuse, buyers and sellers desire more secure methods of authentication than today's userid and password combinations. Automated biometrics technology in general, and fingerprints in particular, provide an accurate and reliable authentication method. However, fingerprint-based authentication requires accessing fingerprint images scanned remotely at the user's workst ...

Keywords: WSQ compression, authentication, biometrics, data hiding, fingerprints, watermarking

Results 101 - 120 of 184

Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)